



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

Important:

When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



Note:
Before completing this form consult your local Conservation Commission regarding any municipal bylaw or ordinance.

A. General Information

1. Project Location (Note: electronic filers will click on button to locate project site):

<u>Bridge Street</u>	<u>Fairhaven</u>	<u>02719</u>
a. Street Address	b. City/Town	c. Zip Code
<u>Latitude and Longitude:</u>	<u>41d 38' 52"</u>	<u>70d 52' 56"</u>
	d. Latitude	e. Longitude
<u>30A</u>	<u>87 & 87A</u>	
f. Assessors Map/Plat Number	g. Parcel /Lot Number	

2. Applicant:

<u>Carricorp Industries, Ltd</u>	<u></u>
a. First Name	b. Last Name
<u>275 Martine Street, Suite 110</u>	
c. Organization	
d. Street Address	
<u>Fall River</u>	<u>MA</u>
e. City/Town	f. State
<u>774-264-1958</u>	<u>02723</u>
h. Phone Number	g. Zip Code
<u></u>	<u>acarrigg@zanderglobal.com</u>
i. Fax Number	j. Email Address

3. Property owner (required if different from applicant): Check if more than one owner

<u>240B LLC</u>	<u></u>
a. First Name	b. Last Name
<u>275 Martine Street, Suite 110</u>	
c. Organization	
d. Street Address	
<u>Fall River</u>	<u>MA</u>
e. City/Town	f. State
<u>774-264-1958</u>	<u>02724</u>
h. Phone Number	g. Zip Code
<u></u>	<u>acarrigg@zanderglobal.com</u>
i. Fax Number	j. Email address

4. Representative (if any):

<u>Jamie</u>	<u>Bissonnette</u>
a. First Name	b. Last Name
<u>Zenith Consulting Engineers, LLC.</u>	
c. Company	
<u>3 Main Street</u>	
d. Street Address	
<u>Lakeville</u>	<u>MA</u>
e. City/Town	f. State
<u>508-947-4208</u>	<u>02347</u>
h. Phone Number	g. Zip Code
<u></u>	<u>jamie@zcellc.com</u>
i. Fax Number	j. Email address

5. Total WPA Fee Paid (from NOI Wetland Fee Transmittal Form):

<u>\$1,550.00</u>	<u>\$762.50</u>	<u>\$787.50</u>
a. Total Fee Paid	b. State Fee Paid	c. City/Town Fee Paid



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

A. General Information (continued)

6. General Project Description:

The construction of a commercial building with associated parking, utilities, drainage, grading and landscaping.

7a. Project Type Checklist: (Limited Project Types see Section A. 7b.)

- | | |
|---|---|
| 1. <input type="checkbox"/> Single Family Home | 2. <input type="checkbox"/> Residential Subdivision |
| 3. <input checked="" type="checkbox"/> Commercial/Industrial | 4. <input type="checkbox"/> Dock/Pier |
| 5. <input type="checkbox"/> Utilities | 6. <input type="checkbox"/> Coastal engineering Structure |
| 7. <input type="checkbox"/> Agriculture (e.g., cranberries, forestry) | 8. <input type="checkbox"/> Transportation |
| 9. <input type="checkbox"/> Other | |

7b. Is any portion of the proposed activity eligible to be treated as a limited project (including Ecological Restoration Limited Project) subject to 310 CMR 10.24 (coastal) or 310 CMR 10.53 (inland)?

1. Yes No If yes, describe which limited project applies to this project. (See 310 CMR 10.24 and 10.53 for a complete list and description of limited project types)

2. Limited Project Type

If the proposed activity is eligible to be treated as an Ecological Restoration Limited Project (310 CMR 10.24(8), 310 CMR 10.53(4)), complete and attach Appendix A: Ecological Restoration Limited Project Checklist and Signed Certification.

8. Property recorded at the Registry of Deeds for:

Bristol

a. County

12842 and 13503

c. Book

b. Certificate # (if registered land)

51 and 338

d. Page Number

B. Buffer Zone & Resource Area Impacts (temporary & permanent)

- Buffer Zone Only – Check if the project is located only in the Buffer Zone of a Bordering Vegetated Wetland, Inland Bank, or Coastal Resource Area.
- Inland Resource Areas (see 310 CMR 10.54-10.58; if not applicable, go to Section B.3, Coastal Resource Areas).

Check all that apply below. Attach narrative and any supporting documentation describing how the project will meet all performance standards for each of the resource areas altered, including standards requiring consideration of alternative project design or location.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 3 – Notice of Intent
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number
Document Transaction Number
Fairhaven
City/Town

B. Buffer Zone & Resource Area Impacts (temporary & permanent) (cont'd)

For all projects affecting other Resource Areas, please attach a narrative explaining how the resource area was delineated.

Resource Area	Size of Proposed Alteration	Proposed Replacement (if any)
a. <input type="checkbox"/> Bank	1. linear feet	2. linear feet
b. <input type="checkbox"/> Bordering Vegetated Wetland	1. square feet	2. square feet
c. <input type="checkbox"/> Land Under Waterbodies and Waterways	1. square feet 3. cubic yards dredged	2. square feet

Resource Area	Size of Proposed Alteration	Proposed Replacement (if any)
d. <input type="checkbox"/> Bordering Land Subject to Flooding	1. square feet 3. cubic feet of flood storage lost	2. square feet 4. cubic feet replaced
e. <input type="checkbox"/> Isolated Land Subject to Flooding	1. square feet 2. cubic feet of flood storage lost	3. cubic feet replaced

f. Riverfront Area

1. Name of Waterway (if available) - **specify coastal or inland** _____

2. Width of Riverfront Area (check one):

25 ft. - Designated Densely Developed Areas only

100 ft. - New agricultural projects only

200 ft. - All other projects

3. Total area of Riverfront Area on the site of the proposed project: _____ square feet

4. Proposed alteration of the Riverfront Area:

a. total square feet	b. square feet within 100 ft.	c. square feet between 100 ft. and 200 ft.
----------------------	-------------------------------	--

5. Has an alternatives analysis been done and is it attached to this NOI? Yes No

6. Was the lot where the activity is proposed created prior to August 1, 1996? Yes No

3. Coastal Resource Areas: (See 310 CMR 10.25-10.35)

Note: for coastal riverfront areas, please complete **Section B.2.f.** above.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 3 – Notice of Intent
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number
Document Transaction Number
Fairhaven
City/Town

B. Buffer Zone & Resource Area Impacts (temporary & permanent) (cont'd)

Check all that apply below. Attach narrative and supporting documentation describing how the project will meet all performance standards for each of the resource areas altered, including standards requiring consideration of alternative project design or location.

Online Users:
 Include your document transaction number (provided on your receipt page) with all supplementary information you submit to the Department.

<u>Resource Area</u>	<u>Size of Proposed Alteration</u>	<u>Proposed Replacement (if any)</u>
a. <input type="checkbox"/> Designated Port Areas	Indicate size under Land Under the Ocean, below	
b. <input type="checkbox"/> Land Under the Ocean	1. square feet _____	
	2. cubic yards dredged _____	
c. <input type="checkbox"/> Barrier Beach	Indicate size under Coastal Beaches and/or Coastal Dunes below	
d. <input type="checkbox"/> Coastal Beaches	1. square feet _____	2. cubic yards beach nourishment _____
e. <input type="checkbox"/> Coastal Dunes	1. square feet _____	2. cubic yards dune nourishment _____

	<u>Size of Proposed Alteration</u>	<u>Proposed Replacement (if any)</u>
f. <input type="checkbox"/> Coastal Banks	1. linear feet _____	
g. <input type="checkbox"/> Rocky Intertidal Shores	1. square feet _____	
h. <input type="checkbox"/> Salt Marshes	1. square feet _____	2. sq ft restoration, rehab., creation _____
i. <input type="checkbox"/> Land Under Salt Ponds	1. square feet _____	
	2. cubic yards dredged _____	
j. <input type="checkbox"/> Land Containing Shellfish	1. square feet _____	
k. <input type="checkbox"/> Fish Runs	Indicate size under Coastal Banks, inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above	
	1. cubic yards dredged _____	
l. <input type="checkbox"/> Land Subject to Coastal Storm Flowage	1. square feet _____	

4. Restoration/Enhancement

If the project is for the purpose of restoring or enhancing a wetland resource area in addition to the square footage that has been entered in Section B.2.b or B.3.h above, please enter the additional amount here.

a. square feet of BVW _____	b. square feet of Salt Marsh _____
-----------------------------	------------------------------------

5. Project Involves Stream Crossings

a. number of new stream crossings _____	b. number of replacement stream crossings _____
---	---



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

C. Other Applicable Standards and Requirements

- This is a proposal for an Ecological Restoration Limited Project. Skip Section C and complete Appendix A: Ecological Restoration Limited Project Checklists – Required Actions (310 CMR 10.11).

Streamlined Massachusetts Endangered Species Act/Wetlands Protection Act Review

1. Is any portion of the proposed project located in **Estimated Habitat of Rare Wildlife** as indicated on the most recent Estimated Habitat Map of State-Listed Rare Wetland Wildlife published by the Natural Heritage and Endangered Species Program (NHESP)? To view habitat maps, see the *Massachusetts Natural Heritage Atlas* or go to http://maps.massgis.state.ma.us/PRI_EST_HAB/viewer.htm.

- a. Yes No **If yes, include proof of mailing or hand delivery of NOI to:**

Natural Heritage and Endangered Species Program
Division of Fisheries and Wildlife
1 Rabbit Hill Road
Westborough, MA 01581

8/2021

b. Date of map

If yes, the project is also subject to Massachusetts Endangered Species Act (MESA) review (321 CMR 10.18). To qualify for a streamlined, 30-day, MESA/Wetlands Protection Act review, please complete Section C.1.c, and include requested materials with this Notice of Intent (NOI); OR complete Section C.2.f, if applicable. *If MESA supplemental information is not included with the NOI, by completing Section 1 of this form, the NHESP will require a separate MESA filing which may take up to 90 days to review (unless noted exceptions in Section 2 apply, see below).*

- c. Submit Supplemental Information for Endangered Species Review*

1. Percentage/acreage of property to be altered:

(a) within wetland Resource Area

percentage/acreage

(b) outside Resource Area

percentage/acreage

2. Assessor's Map or right-of-way plan of site

2. Project plans for entire project site, including wetland resource areas and areas outside of wetlands jurisdiction, showing existing and proposed conditions, existing and proposed tree/vegetation clearing line, and clearly demarcated limits of work **

(a) Project description (including description of impacts outside of wetland resource area & buffer zone)

(b) Photographs representative of the site

* Some projects **not** in Estimated Habitat may be located in Priority Habitat, and require NHESP review (see <https://www.mass.gov/mass-endangered-species-act-mesa-regulatory-review>).

Priority Habitat includes habitat for state-listed plants and strictly upland species not protected by the Wetlands Protection Act.

** MESA projects may not be segmented (321 CMR 10.16). The applicant must disclose full development plans even if such plans are not required as part of the Notice of Intent process.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

C. Other Applicable Standards and Requirements (cont'd)

- (c) MESA filing fee (fee information available at <https://www.mass.gov/how-to/how-to-file-for-a-mesa-project-review>).

Make check payable to "Commonwealth of Massachusetts - NHESP" and **mail to NHESP** at above address

Projects altering 10 or more acres of land, also submit:

- (d) Vegetation cover type map of site
- (e) Project plans showing Priority & Estimated Habitat boundaries
- (f) OR Check One of the Following

1. Project is exempt from MESA review.
Attach applicant letter indicating which MESA exemption applies. (See 321 CMR 10.14, <https://www.mass.gov/service-details/exemptions-from-review-for-projectsactivities-in-priority-habitat>; the NOI must still be sent to NHESP if the project is within estimated habitat pursuant to 310 CMR 10.37 and 10.59.)
2. Separate MESA review ongoing. a. NHESP Tracking # _____ b. Date submitted to NHESP _____
3. Separate MESA review completed.
Include copy of NHESP "no Take" determination or valid Conservation & Management Permit with approved plan.

3. For coastal projects only, is any portion of the proposed project located below the mean high water line or in a fish run?

- a. Not applicable – project is in inland resource area only b. Yes No

If yes, include proof of mailing, hand delivery, or electronic delivery of NOI to either:

South Shore - Cohasset to Rhode Island border, and
the Cape & Islands:

North Shore - Hull to New Hampshire border:

Division of Marine Fisheries -
Southeast Marine Fisheries Station
Attn: Environmental Reviewer
836 South Rodney French Blvd.
New Bedford, MA 02744
Email: dmf.envreview-south@mass.gov

Division of Marine Fisheries -
North Shore Office
Attn: Environmental Reviewer
30 Emerson Avenue
Gloucester, MA 01930
Email: dmf.envreview-north@mass.gov

Also if yes, the project may require a Chapter 91 license. For coastal towns in the Northeast Region, please contact MassDEP's Boston Office. For coastal towns in the Southeast Region, please contact MassDEP's Southeast Regional Office.

- c. Is this an aquaculture project? d. Yes No

If yes, include a copy of the Division of Marine Fisheries Certification Letter (M.G.L. c. 130, § 57).



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

C. Other Applicable Standards and Requirements (cont'd)

4. Is any portion of the proposed project within an Area of Critical Environmental Concern (ACEC)?
- a. Yes No If yes, provide name of ACEC (see instructions to WPA Form 3 or MassDEP Website for ACEC locations). **Note:** electronic filers click on Website.
- b. ACEC
5. Is any portion of the proposed project within an area designated as an Outstanding Resource Water (ORW) as designated in the Massachusetts Surface Water Quality Standards, 314 CMR 4.00?
- a. Yes No
6. Is any portion of the site subject to a Wetlands Restriction Order under the Inland Wetlands Restriction Act (M.G.L. c. 131, § 40A) or the Coastal Wetlands Restriction Act (M.G.L. c. 130, § 105)?
- a. Yes No
7. Is this project subject to provisions of the MassDEP Stormwater Management Standards?
- a. Yes. Attach a copy of the Stormwater Report as required by the Stormwater Management Standards per 310 CMR 10.05(6)(k)-(q) and check if:
1. Applying for Low Impact Development (LID) site design credits (as described in Stormwater Management Handbook Vol. 2, Chapter 3)
 2. A portion of the site constitutes redevelopment
 3. Proprietary BMPs are included in the Stormwater Management System.
- b. No. Check why the project is exempt:
1. Single-family house
 2. Emergency road repair
 3. Small Residential Subdivision (less than or equal to 4 single-family houses or less than or equal to 4 units in multi-family housing project) with no discharge to Critical Areas.

D. Additional Information

- This is a proposal for an Ecological Restoration Limited Project. Skip Section D and complete Appendix A: Ecological Restoration Notice of Intent – Minimum Required Documents (310 CMR 10.12).

Applicants must include the following with this Notice of Intent (NOI). See instructions for details.

Online Users: Attach the document transaction number (provided on your receipt page) for any of the following information you submit to the Department.

1. USGS or other map of the area (along with a narrative description, if necessary) containing sufficient information for the Conservation Commission and the Department to locate the site. (Electronic filers may omit this item.)
2. Plans identifying the location of proposed activities (including activities proposed to serve as a Bordering Vegetated Wetland [BVW] replication area or other mitigating measure) relative to the boundaries of each affected resource area.

Online Users:
Include your document transaction number (provided on your receipt page) with all supplementary information you submit to the Department.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
WPA Form 3 – Notice of Intent
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number
Document Transaction Number
Fairhaven
City/Town

D. Additional Information (cont'd)

3. Identify the method for BVW and other resource area boundary delineations (MassDEP BVW Field Data Form(s), Determination of Applicability, Order of Resource Area Delineation, etc.), and attach documentation of the methodology.

4. List the titles and dates for all plans and other materials submitted with this NOI.

Site Plan Map 30A Lots 87 & 87A Bridge Street Fairhaven, Massachusetts

a. Plan Title

Zenith Consulting Engineers, LLC.

Rene Gagnon, P.E.

b. Prepared By

c. Signed and Stamped by

7/24/2023

1"=20'

d. Final Revision Date

e. Scale

f. Additional Plan or Document Title

g. Date

5. If there is more than one property owner, please attach a list of these property owners not listed on this form.

6. Attach proof of mailing for Natural Heritage and Endangered Species Program, if needed.

7. Attach proof of mailing for Massachusetts Division of Marine Fisheries, if needed.

8. Attach NOI Wetland Fee Transmittal Form

9. Attach Stormwater Report, if needed.

E. Fees

1. Fee Exempt: No filing fee shall be assessed for projects of any city, town, county, or district of the Commonwealth, federally recognized Indian tribe housing authority, municipal housing authority, or the Massachusetts Bay Transportation Authority.

Applicants must submit the following information (in addition to pages 1 and 2 of the NOI Wetland Fee Transmittal Form) to confirm fee payment:

2662

7/26/2023

2. Municipal Check Number

3. Check date

2663

7/26/2023

4. State Check Number

5. Check date

Carricorp Industries, LTD

6. Payor name on check: First Name

7. Payor name on check: Last Name



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 3 – Notice of Intent

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

MassDEP File Number

Document Transaction Number

Fairhaven

City/Town

F. Signatures and Submittal Requirements

I hereby certify under the penalties of perjury that the foregoing Notice of Intent and accompanying plans, documents, and supporting data are true and complete to the best of my knowledge. I understand that the Conservation Commission will place notification of this Notice in a local newspaper at the expense of the applicant in accordance with the wetlands regulations, 310 CMR 10.05(5)(a).

I further certify under penalties of perjury that all abutters were notified of this application, pursuant to the requirements of M.G.L. c. 131, § 40. Notice must be made by Certificate of Mailing or in writing by hand delivery or certified mail (return receipt requested) to all abutters within 100 feet of the property line of the project location.

1. Signature of Applicant	2. Date
3. Signature of Property Owner (if different)	4. Date
	7-29-2023
5. Signature of Representative (if any)	6. Date

For Conservation Commission:

Two copies of the completed Notice of Intent (Form 3), including supporting plans and documents, two copies of the NOI Wetland Fee Transmittal Form, and the city/town fee payment, to the Conservation Commission by certified mail or hand delivery.

For MassDEP:

One copy of the completed Notice of Intent (Form 3), including supporting plans and documents, one copy of the NOI Wetland Fee Transmittal Form, and a **copy** of the state fee payment to the MassDEP Regional Office (see Instructions) by certified mail or hand delivery.

Other:

If the applicant has checked the "yes" box in any part of Section C, Item 3, above, refer to that section and the Instructions for additional submittal requirements.

The original and copies must be sent simultaneously. Failure by the applicant to send copies in a timely manner may result in dismissal of the Notice of Intent.



Massachusetts Department of Environmental Protection
 Bureau of Resource Protection - Wetlands
NOI Wetland Fee Transmittal Form
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Important: When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



A. Applicant Information

1. Location of Project:

<u>Bridge Street</u>	<u>Fairhaven</u>
a. Street Address	b. City/Town
<u>2663</u>	<u>\$762.50</u>
c. Check number	d. Fee amount

2. Applicant Mailing Address:

<u>Carricorp Industries, Ltd</u>	<u></u>	
c. Organization	b. Last Name	
<u>275 Martine Street, Suite 110</u>		
d. Mailing Address		
<u>Fall River</u>	<u>MA</u>	<u>02723</u>
e. City/Town	f. State	g. Zip Code
<u>774-264-1958</u>	<u>acarrigg@zanderglobal.com</u>	
h. Phone Number	i. Fax Number	j. Email Address

3. Property Owner (if different):

<u>240B LLC</u>	<u></u>	
c. Organization	b. Last Name	
<u>275 Martine Street, Suite 110</u>		
d. Mailing Address		
<u>Fall River</u>	<u>MA</u>	<u>02723</u>
e. City/Town	f. State	g. Zip Code
<u>774-264-1958</u>		
h. Phone Number	i. Fax Number	j. Email Address

B. Fees

Fee should be calculated using the following process & worksheet. **Please see Instructions before filling out worksheet.**

Step 1/Type of Activity: Describe each type of activity that will occur in wetland resource area and buffer zone.

Step 2/Number of Activities: Identify the number of each type of activity.

Step 3/Individual Activity Fee: Identify each activity fee from the six project categories listed in the instructions.

Step 4/Subtotal Activity Fee: Multiply the number of activities (identified in Step 2) times the fee per category (identified in Step 3) to reach a subtotal fee amount. Note: If any of these activities are in a Riverfront Area in addition to another Resource Area or the Buffer Zone, the fee per activity should be multiplied by 1.5 and then added to the subtotal amount.

Step 5/Total Project Fee: Determine the total project fee by adding the subtotal amounts from Step 4.

Step 6/Fee Payments: To calculate the state share of the fee, divide the total fee in half and subtract \$12.50. To calculate the city/town share of the fee, divide the total fee in half and add \$12.50.

To calculate filing fees, refer to the category fee list and examples in the instructions for filling out WPA Form 3 (Notice of Intent).

Locus: Bridge Street Fairhaven, MA
Assessors Map 30A Lots 87 & 87A

Notice of Intent Attachments

- 1 Narrative Memo**
- 2 List of Owners**
- 3 Town NOI Checklist**
- 4 USGS Map**
- 5 FEMA Firm Maps**
- 6 Abutters List**
- 7 Abutter Notification Form**
- 8 Order of Conditions (SE-023-1246)**
- 9 Extension Permit for Order of Conditions (SE-023-1246)**
- 10 Copies of Checks**

Narrative Memo



3 Main Street Lakeville, MA 02347
(508) 947-4208 - www.zcellc.com

- Civil Engineering
- Septic Design (Title 5)
- Septic Inspections (Title 5)
- Commercial and Industrial Site Plans
- Chapter 91 Permitting

July 28, 2023

Narrative Memo

RE: Notice of Intent Filing
Bridge Street (Assessor Map 30A Lots 87 & 87A)
Fairhaven, MA

Zenith Consulting Engineers, LLC. is representing Carricorp Industries, LTD for a notice of intent filing for the site listed above. Included in this application package are the following items:

1. A completed WPA Form 3 Notice of Intent
 - a. List of owners
 - b. Town NOI checklist
 - c. USGS Map
 - d. FEMA firm Map
 - e. Abutters List
 - f. Abutters Notification Form
 - g. Order of Conditions (SE-023-1246)
 - h. Extension Permit for Order of Conditions (SE-023-1246)
 - i. Copies of checks
2. A stormwater management report
 - a. stormwater narrative
 - b. drainage summary
 - c. soil report
 - d. Hydrocad report
 - e. sediment forebay sizing calculations
 - f. pipe calculations
 - g. illicit discharge statement
 - h. DEP stormwater checklist
 - i. Operations and maintenance plan
3. Site Plan Set (8 sheets)

Project Narrative:

The project is located on the southerly side of Bridge Street, easterly side of Route 240 and adjacent to a Mobil fueling station in Fairhaven MA. Presently the site consists of mostly grassed area along with portions of the drainage basin and access road.

The site is located in a business zoning district and the applicant is proposing a 5,850-sf commercial style building. A driveway and parking lot are also proposed with approximately 34 parking spaces to service the proposed building. The design allows fire access completely around the building by utilizing a one-way paved drive that runs on the east and north side of the proposed building. Stormwater from all proposed paved areas will be collected by deep sump catch basins sent to a subsurface infiltration system. The subsurface infiltration system connects to a drainage manhole with an outlet control structure that regulates flow out of the infiltration system and into the stormwater basins forebay. In addition to the subsurface infiltration system, it is proposed to enlarge the existing stormwater basin. Other proposed utilities include municipal water and municipal sewer and an enclosed dumpster with pad.

List of Owners

List of Owners

Map 30A Lot 87A

BRIDGE STREET HOLDINGS LLC

275 MARTINE STREET

FALL RIVER, MA 02723

Map 30A Lot 87

Owner: 240B LLC

275 MARTINE STREET

FALL RIVER, MA 02723

Town NOI Checklist



TOWN OF FAIRHAVEN CONSERVATION COMMISSION


APPLICATION CHECKLIST NOTICE OF INTENT

Please submit the following to the Fairhaven Conservation Commission:

- Two **separate** checks for the following fees: Fairhaven Wetlands Bylaw filing fee (see [Fee Schedule](#)) and the Town's share of the state Wetlands Protection Act Filing Fee (see [NOI fee transmittal form](#))
 - A check for \$75, advertising fee
 - Eight (8) collated packets (1 original, 7 copies)**, each containing the following information:
 - Completely filled out and signed copy of the most recent WPA Form 3, available at <https://www.mass.gov/doc/wpa-form-3-notice-of-intent/download>
 - A detailed narrative describing the property, delineated resource area(s) and methods of delineation, proposed activity and/or work, including whether work will be done by hand or with equipment, location of storage of materials, how the site will be accessed by equipment, etc... and any other information that will help the Commission understand your project.
 - Copies of project plans at a scale of no less than 1" = 40' that includes:
 - Location of all known resource areas, *including* sequentially numbered flags
 - Dates of the most recent plan revision and when delineation was completed
 - Assessor's map/lot numbers, compass rose, legend/labels for each component
 - Buffer Zone lines from delineated resource area(s):
 - Highlight applicable buffer zone lines:
 - 25-foot line: **pink**
 - 50-foot line: **yellow**
 - 100-foot line: **green**
 - 200-foot Riverfront Area, if applicable: highlight **blue**
 - FEMA Floodplain boundaries, shaded, if applicable (available at <https://msc.fema.gov/portal/home>)
 - Locus map - i.e. USGS Quadrangle topographic map (available at <https://ngmdb.usgs.gov/topoview/viewer/#>)
 - Location of existing structures and vegetation, including all trees (8" diameter breast height or greater)
 - Location of proposed structures and/or vegetation
 - Shortest distance from proposed disturbed areas to known resources
 - Topography in 2-ft contour intervals
 - Proposed grading and drainage
 - Erosion and sedimentation controls
 - An additional 11" x 17" set of project plans if they are larger
 - Existing condition photographs of the property where activities are proposed (optional)
 - Any other information that will help the Commission understand your project
 - Proof that a copy of the complete application was sent to the MA Department of Environmental Protection, Southeast Regional Office, 20 Riverside Drive, Lakeville, MA 02347
 - Proof that a copy of the complete application was sent to the MA Natural Heritage & Endangered Species Program and the MA Division of Marine Fisheries, if applicable
 - A copy of the certified abutter list, the abutter notice sent out, and proof of mailing (can be presented at the hearing). *Failure to present proof of abutter notification will result in the Conservation Commission NOT hearing your application.*
- An electronic copy (pdf) of the entire application packet, emailed to conservation@fairhaven-ma.gov

**It is highly recommended that you hire a certified Wetland Scientist, Landscape Planner, or Engineer to assist you with preparing the permit application.*

USGS Map



SHEET NAME:

USGS MAP

PROJECT SITE:

**MAP 30A - LOT 87 & 87A BRIDGE ST.
FAIRHAVEN, MASSACHUSETTS**

CLIENT INFO:

**CARRICORP INDUSTRIES, LTD.
FALL RIVER, MA 02724**



ZENITH CONSULTING ENGINEERS, LLC

3 MAIN STREET LAKEVILLE, MA 02347

PHONE: (508) 947-4208

FEMA Firm Maps

National Flood Hazard Layer FIRMette



70°53'16"W 41°39'5"N



70°52'38"W 41°38'38"N

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE)
Zone A, V, A99
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile. Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee. See Notes. Zone X
- Area with Flood Risk due to Levee. Zone D

OTHER AREAS

- NO SCREEN Area of Minimal Flood Hazard Zone X
- Effective LOMRS
- Area of Undetermined Flood Hazard Zone D

GENERAL STRUCTURES

- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES

- Cross Sections with 1% Annual Chance Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS

- Digital Data Available
- No Digital Data Available
- Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 7/28/2023 at 1:51 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Abutters List



Patriot
Properties

06/29/2023

12:11:31 PM

Fairhaven

GIS - Abutters - Map 30A, Lots 87 & 87A - 100 Ft.

Parcel ID -	Location	Owner/Mailing Address
30A-215	82 NARRAGANSETT BLVD Fairhaven, MA 02719	CHASE JOSHUA & KATHI 82 NARRAGANSETT BLVD FAIRHAVEN, MA 02719
30A-306	NARRAGANSETT BLVD Fairhaven, MA 02719	SARAIVA ALICE 55 NARRAGANSETT BOULEVARD FAIRHAVEN, MA 02719
30A-323	8 WEBSTER AVE Fairhaven, MA 02719	ARRUDA PROPERTIES LLC 60 BRADBURY STREET FALL RIVER, MA 02721
30C-060	333 BRIDGE ST Fairhaven, MA 02719	ACUSHNET COMPANY ATTN: TAX DEPARTMENT 333 BRIDGE STREET P O BOX 965 FAIRHAVEN, MA 02719
36-011A	200 MILL RD Fairhaven, MA 02719	SIMRAH GARDENS LLC 200 MILL ROAD FAIRHAVEN, MA 02719
36-015J	BRIDGE ST Fairhaven, MA 02719	FAIRHAVEN PROPERTIES LLC C/O PAUL DOWNEY P O BOX 4023 NEW BEDFORD, MA 02741

Abutter Notification Form

**Notification to Abutters Under the
Massachusetts Wetlands Protection Act
and the Fairhaven Wetlands Bylaw**

*(this form must be completed and copies sent by certified mail
or hand delivery to all abutters within 100 feet of the property
where the project is located)*

In accordance with the Massachusetts General Laws Chapter 131, Section 40 (the Wetlands Protection Act) and the Fairhaven Wetlands Bylaw (Chapter 192), you are hereby notified of the following:

1. The applicant's name is Carricorp Industries, Ltd.

2. The applicant has filed the following with the Fairhaven Conservation Commission:
 Request for Determination of Applicability
 Notice of Intent
 Request to Amend an existing Order of Conditions
 Notice of Resource Area Delineation

3. The address or location of the site where the activity, project, or delineation is proposed is:
Bridge Street (Assessors Map 30A lots 87 & 87A), Fairhaven, MA.

4. The proposed work includes _____
~~The construction of a commercial building with associated parking, utilities,~~
~~drainage, grading and landscaping.~~

5. Copies of the above application may be examined at the Conservation Office, located in Town Hall, 40 Center Street, Fairhaven, MA 02719, between 9:00 AM and 4:00 PM, Monday through Friday. Copies may be obtained at the office if notified in advance or from the applicant.

6. Applications will also be uploaded to www.fairhaven-ma.gov/conservation-commission/pages/current-filings. If you are unable to access or view the application electronically, please contact the Conservation Office at 508-979-4023, ext. 128.

7. Notice of the public hearing including its date, time, and place will be published at least five business days in advance in the Fairhaven Neighborhood News, and will be posted on the Fairhaven Town Website and at the Fairhaven Town Hall not less than 48 hours in advance.

PLEASE NOTE:

Since you are receiving this notice, you may have wetland resource areas or wetland buffers on your property. Therefore, construction, cutting, clearing, or grading may require a permit. For clarification or for more information, call the Conservation Agent at 508-979-4082 or visit our website.

Order of Conditions (SE-023-1246)

18



2017 00031893

Bk: 12318 Pg: 166 Pg: 1 of 18 Bk
Doc: OC 12/27/2017 10:07 AM



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
SE 23 1246
MassDEP File #
eDEP Transaction #
Fairhaven
City/Town

A. General Information

Please note:
this form has
been modified
with added
space to
accommodate
the Registry
of Deeds
Requirements

Important:
When filling
out forms on
the
computer,
use only the
tab key to
move your
cursor - do
not use the
return key.



1. From: Fairhaven
Conservation Commission

2. This issuance is for
(check one): a. Order of Conditions b. Amended Order of Conditions

3. To: Applicant:
Alexander Carrigg
a. First Name b. Last Name

Carri Corp Industries LTD
c. Organization

275 Martine Street
d. Mailing Address

Fall River Ma 02723
e. City/Town f. State g. Zip Code

4. Property Owner (if different from applicant):
Richard J. & Melaine / Sharon L. & Robert Reily / August Trustess of Sharon J. August
a. First Name b. Last Name
Southcoast Realty Trust LLC
c. Organization
Living Revocable Trust

d. Mailing Address

e. City/Town f. State g. Zip Code

5. Project Location:
Narragansett Blvd / Bridge Street / Bridge Fairhaven
Street b. City/Town
30A 86B / 87 / 87A
c. Assessors Map/Plat Number d. Parcel/Lot Number

Latitude and Longitude, if known: d m s d m s
d. Latitude e. Longitude

Returned
Carri Corp

275 Martine St Ste 110 F.R. 02723



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 SE 23- 1246
 MassDEP File #

eDEP Transaction #
 Fairhaven
 City/Town

A. General Information (cont.)

6. Property recorded at the Registry of Deeds for (attach additional information if more than one parcel):
 Bristol (SD)

a. County	b. Certificate Number (if registered land)
86B-897 / 87-10731 / 87A-7862	046 / 333 / 077
c. Book	d. Page

7. Dates: January 15, 2017 July 31, 2017 SEPTEMBER 11, 2017
 a. Date Notice of Intent Filed b. Date Public Hearing Closed c. Date of Issuance

8. Final Approved Plans and Other Documents (attach additional plan or document references as needed):

Site Plan	
a. Plan Title	Steven D. Gioiosa P.E.
b. Prepared By	c. Signed and Stamped by
October 17, 2016	1" = 30'
d. Final Revision Date	e. Scale
f. Additional Plan or Document Title	g. Date

B. Findings

1. Findings pursuant to the Massachusetts Wetlands Protection Act:

Following the review of the above-referenced Notice of Intent and based on the information provided in this application and presented at the public hearing, this Commission finds that the areas in which work is proposed is significant to the following interests of the Wetlands Protection Act (the Act). Check all that apply:

- | | | |
|--|--|--|
| a. <input type="checkbox"/> Public Water Supply | b. <input type="checkbox"/> Land Containing Shellfish | c. <input checked="" type="checkbox"/> Prevention of Pollution |
| d. <input type="checkbox"/> Private Water Supply | e. <input type="checkbox"/> Fisheries | f. <input checked="" type="checkbox"/> Protection of Wildlife |
| g. <input type="checkbox"/> Groundwater Supply | h. <input checked="" type="checkbox"/> Storm Damage Prevention | i. <input checked="" type="checkbox"/> Flood Control |

2. This Commission hereby finds the project, as proposed, is: (check one of the following boxes)

Approved subject to:

- a. the following conditions which are necessary in accordance with the performance standards set forth in the wetlands regulations. This Commission orders that all work shall be performed in accordance with the Notice of Intent referenced above, the following General Conditions, and any other special conditions attached to this Order. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, these conditions shall control.



**Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40**

Provided by MassDEP:
SE 23- 1246
MassDEP File #

eDEP Transaction #
Fairhaven
City/Town

B. Findings (cont.)

Denied because:

- b. the proposed work cannot be conditioned to meet the performance standards set forth in the wetland regulations. Therefore, work on this project may not go forward unless and until a new Notice of Intent is submitted which provides measures which are adequate to protect the interests of the Act, and a final Order of Conditions is issued. **A description of the performance standards which the proposed work cannot meet is attached to this Order.**
- c. the information submitted by the applicant is not sufficient to describe the site, the work, or the effect of the work on the interests identified in the Wetlands Protection Act. Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides sufficient information and includes measures which are adequate to protect the Act's interests, and a final Order of Conditions is issued. **A description of the specific information which is lacking and why it is necessary is attached to this Order as per 310 CMR 10.05(6)(c).**

Inland Resource Area Impacts: Check all that apply below. (For Approvals Only)

- 3. **Buffer Zone Impacts: Shortest distance between limit of project disturbance and Bank or Bordering Vegetated Wetland boundary (if available)** _____ a. linear feet

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
4. <input type="checkbox"/> Bank	_____ a. linear feet	_____ b. linear feet	_____ c. linear feet	_____ d. linear feet
5. <input type="checkbox"/> Bordering Vegetated Wetland	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
6. <input type="checkbox"/> Land Under Waterbodies and Waterways	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
	_____ e. c/y dredged	_____ f. c/y dredged		
7. <input type="checkbox"/> Bordering Land Subject to Flooding	_____ a. square feet	_____ b. square feet	_____ c. square feet	_____ d. square feet
Cubic Feet Flood Storage	_____ e. cubic feet	_____ f. cubic feet	_____ g. cubic feet	_____ h. cubic feet
8. <input type="checkbox"/> Isolated Land Subject to Flooding	_____ a. square feet	_____ b. square feet		
Cubic Feet Flood Storage	_____ c. cubic feet	_____ d. cubic feet	_____ e. cubic feet	_____ f. cubic feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 -- Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 SE 23- 1246
 MassDEP File #

eDEP Transaction #
Fairhaven
 City/Town

B. Findings (cont.)

Resource Area	Proposed Alteration	Permitted Alteration	Proposed Replacement	Permitted Replacement
9. <input type="checkbox"/> Riverfront Area	a. total sq. feet	b. total sq. feet		
Sq ft within 100 ft	c. square feet	d. square feet	e. square feet	f. square feet
Sq ft between 100-200 ft	g. square feet	h. square feet	i. square feet	j. square feet

Coastal Resource Area Impacts: Check all that apply below. (For Approvals Only)

- 10. Designated Port Areas
 Indicate size under Land Under the Ocean, below
- 11. Land Under the Ocean
 a. square feet b. square feet
 c. c/y dredged d. c/y dredged
- 12. Barrier Beaches
 Indicate size under Coastal Beaches and/or Coastal Dunes below
- 13. Coastal Beaches
 a. square feet b. square feet c. ^{cu yd}nourishment d. ^{cu yd}nourishment
- 14. Coastal Dunes
 a. square feet b. square feet c. ^{cu yd}nourishment d. ^{cu yd}nourishment
- 15. Coastal Banks
 a. linear feet b. linear feet
- 16. Rocky Intertidal Shores
 a. square feet b. square feet
- 17. Salt Marshes
 a. square feet b. square feet c. square feet d. square feet
- 18. Land Under Salt Ponds
 a. square feet b. square feet
 c. c/y dredged d. c/y dredged
- 19. Land Containing Shellfish
 a. square feet b. square feet c. square feet d. square feet
- 20. Fish Runs
 Indicate size under Coastal Banks, Inland Bank, Land Under the Ocean, and/or inland Land Under Waterbodies and Waterways, above
 a. c/y dredged b. c/y dredged
- 21. Land Subject to Coastal Storm Flowage
 a. square feet b. square feet



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
SE 23-1246
MassDEP File #

eDEP Transaction #
Fairhaven
City/Town

B. Findings (cont.)

22. Restoration/Enhancement:

a. square feet of BVW

b. square feet of salt marsh

23. Stream Crossing(s):

a. number of new stream crossings

b. number of replacement stream crossings

C. General Conditions Under Massachusetts Wetlands Protection Act

The following conditions are only applicable to Approved projects.

1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.
2. The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.
3. This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
4. The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply:
 - a. the work is a maintenance dredging project as provided for in the Act; or
 - b. the time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.
5. This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order.
6. If this Order constitutes an Amended Order of Conditions, this Amended Order of Conditions does not extend the issuance date of the original Final Order of Conditions and the Order will expire on _____ unless extended in writing by the Department.
7. Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.
8. This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
 Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
 SE 23- 1246
 MassDEP File #

eDEP Transaction #
 Fairhaven
 City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

9. No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to the Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.
10. A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words,

"Massachusetts Department of Environmental Protection" [or, "MassDEP"]
 "File Number SE 23 - 1246"
11. Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before MassDEP.
12. Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.
13. The work shall conform to the plans and special conditions referenced in this order.
14. Any change to the plans identified in Condition #12 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.
15. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.
16. This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.
17. Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
SE 23- 1246
MassDEP File #

eDEP Transaction #
Fairhaven
City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

18. All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.

NOTICE OF STORMWATER CONTROL AND MAINTENANCE REQUIREMENTS

19. The work associated with this Order (the "Project") is (1) is not (2) subject to the Massachusetts Stormwater Standards. If the work is subject to the Stormwater Standards, then the project is subject to the following conditions:

a) All work, including site preparation, land disturbance, construction and redevelopment, shall be implemented in accordance with the construction period pollution prevention and erosion and sedimentation control plan and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Construction General Permit as required by Stormwater Condition 8. Construction period erosion, sedimentation and pollution control measures and best management practices (BMPs) shall remain in place until the site is fully stabilized.

b) No stormwater runoff may be discharged to the post-construction stormwater BMPs unless and until a Registered Professional Engineer provides a Certification that:

- i.* all construction period BMPs have been removed or will be removed by a date certain specified in the Certification. For any construction period BMPs intended to be converted to post construction operation for stormwater attenuation, recharge, and/or treatment, the conversion is allowed by the MassDEP Stormwater Handbook BMP specifications and that the BMP has been properly cleaned or prepared for post construction operation, including removal of all construction period sediment trapped in inlet and outlet control structures;
- ii.* as-built final construction BMP plans are included, signed and stamped by a Registered Professional Engineer, certifying the site is fully stabilized;
- iii.* any illicit discharges to the stormwater management system have been removed, as per the requirements of Stormwater Standard 10;
- iv.* all post-construction stormwater BMPs are installed in accordance with the plans (including all planting plans) approved by the issuing authority, and have been inspected to ensure that they are not damaged and that they are in proper working condition;
- v.* any vegetation associated with post-construction BMPs is suitably established to withstand erosion.



**Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands**

WPA Form 5 – Order of Conditions

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

SE 23- 1246

MassDEP File #

eDEP Transaction #

Fairhaven

City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- c) The landowner is responsible for BMP maintenance until the issuing authority is notified that another party has legally assumed responsibility for BMP maintenance. Prior to requesting a Certificate of Compliance, or Partial Certificate of Compliance, the responsible party (defined in General Condition 18(e)) shall execute and submit to the issuing authority an Operation and Maintenance Compliance Statement ("O&M Statement") for the Stormwater BMPs identifying the party responsible for implementing the stormwater BMP Operation and Maintenance Plan ("O&M Plan") and certifying the following: *i.*) the O&M Plan is complete and will be implemented upon receipt of the Certificate of Compliance, and *ii.*) the future responsible parties shall be notified in writing of their ongoing legal responsibility to operate and maintain the stormwater management BMPs and implement the Stormwater Pollution Prevention Plan.
- d) Post-construction pollution prevention and source control shall be implemented in accordance with the long-term pollution prevention plan section of the approved Stormwater Report and, if applicable, the Stormwater Pollution Prevention Plan required by the National Pollution Discharge Elimination System Multi-Sector General Permit.
- e) Unless and until another party accepts responsibility, the landowner, or owner of any drainage easement, assumes responsibility for maintaining each BMP. To overcome this presumption, the landowner of the property must submit to the issuing authority a legally binding agreement of record, acceptable to the issuing authority, evidencing that another entity has accepted responsibility for maintaining the BMP, and that the proposed responsible party shall be treated as a permittee for purposes of implementing the requirements of Conditions 18(f) through 18(k) with respect to that BMP. Any failure of the proposed responsible party to implement the requirements of Conditions 18(f) through 18(k) with respect to that BMP shall be a violation of the Order of Conditions or Certificate of Compliance. In the case of stormwater BMPs that are serving more than one lot, the legally binding agreement shall also identify the lots that will be serviced by the stormwater BMPs. A plan and easement deed that grants the responsible party access to perform the required operation and maintenance must be submitted along with the legally binding agreement.
- f) The responsible party shall operate and maintain all stormwater BMPs in accordance with the design plans, the O&M Plan, and the requirements of the Massachusetts Stormwater Handbook.



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands
WPA Form 5 – Order of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:
SE 23- 1246
MassDEP File #

eDEP Transaction #
Fairhaven
City/Town

C. General Conditions Under Massachusetts Wetlands Protection Act (cont.)

- g) The responsible party shall:
 1. Maintain an operation and maintenance log for the last three (3) consecutive calendar years of inspections, repairs, maintenance and/or replacement of the stormwater management system or any part thereof, and disposal (for disposal the log shall indicate the type of material and the disposal location);
 2. Make the maintenance log available to MassDEP and the Conservation Commission ("Commission") upon request; and
 3. Allow members and agents of the MassDEP and the Commission to enter and inspect the site to evaluate and ensure that the responsible party is in compliance with the requirements for each BMP established in the O&M Plan approved by the issuing authority.

- h) All sediment or other contaminants removed from stormwater BMPs shall be disposed of in accordance with all applicable federal, state, and local laws and regulations.
- i) Illicit discharges to the stormwater management system as defined in 310 CMR 10.04 are prohibited.
- j) The stormwater management system approved in the Order of Conditions shall not be changed without the prior written approval of the issuing authority.
- k) Areas designated as qualifying pervious areas for the purpose of the Low Impact Site Design Credit (as defined in the MassDEP Stormwater Handbook, Volume 3, Chapter 1, Low Impact Development Site Design Credits) shall not be altered without the prior written approval of the issuing authority.
- l) Access for maintenance, repair, and/or replacement of BMPs shall not be withheld. Any fencing constructed around stormwater BMPs shall include access gates and shall be at least six inches above grade to allow for wildlife passage.

Special Conditions (if you need more space for additional conditions, please attach a text document):

(SEE ATTACHED)

Special Conditions for Bridge Street & Rt. 240

- The Applicant shall provide the Commission with the name(s) and telephone numbers of the site contractor and the project manager(s) responsible on site for compliance with this Order. The project manager shall oversee any emergency placement of erosion and sedimentation controls and be responsible for the regular inspection or replacement of control devices and for the proper disposal of waste products. The commission shall be notified in the event that the project manager or site contractor is changed.
- The complete Notice of Intent, a complete set of site plans approved of in the Order of Conditions and the Order of Conditions itself shall be included in all construction contracts and sub-contracts dealing with the work proposed and shall supersede all other contract requirements.
- Job site posting of the DEP issued SE number and special orders of the conditions shall be weatherproofed and clearly visible on all activity sites. Included shall also be the Commission's office phone number (509)979-4019 for further information. The necessary replacement and maintenance of these postings shall be the sole responsibility of the applicant.
- Should at least 75% of the surface area of the wetland replication area fail to become established with greater than 50% wetland species within two years of the replication attempt [in accordance with 310 CMR 10.55(4)(b)1-7], the Commission reserves the right to require additional measures necessary to achieve compliance.
- The Commission reserves the right to impose additional conditions on any or all portions of this project that could impact an area of statutory interest under the Act and/or the Fairhaven Wetlands Bylaw.
- See letter Attached from Field Engineering Dated August 22, 2017

FIELD
ENGINEERING CO., INC.
CONSULTING ENGINEERS

11D Industrial Drive, P.O. Box 1178
Mattapoisett, Massachusetts 02739
Telephone: (508) 758-2749
Facsimile: (508) 758-2849

August 22, 2017
Project No. 2150

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
Town Office Building
40 Center Street
Fairhaven, Massachusetts 02719

The Crocker Building
Four Court Street, Suite 104
Taunton, Massachusetts 02780
Telephone: (508) 824-9279
Facsimile: (508) 824-9276

Subject: **FAIRHAVEN - Notice of Intent - Peer Review Report #3
Proposed Convenience Store/Filling Station
Assessors Map 30A - Lots 86B, 87, & 87A
Bridge Street, Fairhaven, MA**

Dear Mr. Simmons:

Field Engineering Co., Inc. has completed a third peer review of the Notice of Intent documents for the above referenced project for compliance with the current Massachusetts DEP Stormwater Management Policy, and generally accepted engineering methods. Our review is based on the following information as received by our office:

1. Site Plan Set entitled, "Proposed Commercial Development – Bridge Street / Route 240, Fairhaven, MA", Sheets 1-10, prepared by Sitec, Inc. for Carri Corp Industries, LTD, dated 10/17/16 and revised through 7/31/17.
2. Response to Peer Review #2 Comments Memorandum prepared by Sitec, Inc. for Carri Corp Industries, LTD, dated 7/31/17.
3. Amended WPA Form 3 – Notice of Intent Application Form pages 1-9 with attachments, prepared by Sitec, Inc. for Carri Corp Industries, LTD.
4. Excerpt from Rinker Materials Stormceptor Owner's Manual pages 9-16 Stormceptor Inspection & Maintenance.
5. Erosion and Sedimentation Control Program Sheet, prepared by Sitec, Inc. for Carri Corp Industries, LTD.
6. Construction Period Pollution Prevention Plan prepared by Sitec, Inc. for Carri Corp Industries, LTD.
7. Operation & Maintenance Plan – Stormwater Management System prepared by Sitec, Inc. for Carri Corp Industries, LTD.
8. Emergency Response Spill Containment Plan prepared by Sitec, Inc. for Carri Corp Industries, LTD.

The following comments are submitted for your consideration.

1. The Notice of Intent Form indicates a total wetland alteration area of 900 square feet. Plan Sheet 2 of 9 specifies 1,000 square feet. Which value is correct?

SITEC Response: The correct area of proposed alteration is 1,000 SF. A copy of the revised page from the NOI is attached.

FEC Response: A complete copy of the Notice of Intent application with the revised Page 3 of 9 should be provided.

SITEC Response: Page 3 of 9 of the Notice of Intent was revised with the last submittal. As requested, we are forwarding a complete NOI with the revised sheet for your records.

FEC Response: The engineer's response is acceptable. No further comment.

2. It is suggested the runoff from the existing 10-inch pipe outfall from Route 240 be directed away from the proposed wetland replication area to reduce the pollutant loading and potential erosion of the new planting bed.

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
August 22, 2017
Page 2 of 6

SITEC Response: A swale from the 10" Rt 240 culvert to the main drainage ditch has been added to the grading plan to direct the runoff away from the replication area.

FEC Response: The proposed swale should be extended to the edge of the existing rip rap pad. Spot grades should be provided within the swale to ensure the flow from the existing 10-inch pipe does not bypass the swale.

SITEC Response: The proposed swale near Bridge Street has been modified to extend to the street drain rip rap pad and we have added spot grades in the swale as requested.

FEC Response: The engineer's response is acceptable. No further comment.

3. Total Suspended Solids (TSS) removal worksheets have not been submitted to our office.

SITEC Response: TSS Worksheet is attached as requested.

FEC Response: The engineer's response is acceptable. No further comment.

4. The applicant is proposing to use a proprietary pre-treatment device within the catch basin structures. A Performance Evaluation was conducted by the University of Massachusetts on or about 2005 on the proposed FloGuard Catch Basin Insert. The Evaluation concluded that the third party studies done at that time did not meet TARP protocols and that there was insufficient credible data to substantiate the pollutant removal claims of the manufacturer. The engineer should submit supporting documentation and/or any third party TARP compliant studies to verify the performance of the FloGuard Catch Basin Inserts.

SITEC Response: We have eliminated the catch basin inserts and substituted (2) Stormceptor Units. Although we have received approval for the inserts on projects in Quincy, Dartmouth and Westport, we decided on the change to the Stormceptor Units which are more commonly utilized in this area for TSS removal.

FEC Response: The manufacturer's operation and maintenance plan for the Stormceptor units should be submitted to the Conservation Commission for inclusion as an attachment to the Order of Conditions.

SITEC Response: A copy of the Stormceptor's manufacturer's maintenance requirement is attached as requested.

FEC Response: It is suggested the Conservation Commission attach this document to the Order of Conditions. No further comment.

5. The engineer has stated that the Recharge Volume requirement will be achieved by infiltration through the bottom of the Detention Basins 1 and 2. Soil test pits and groundwater determinations should be performed within each of the detention basins to verify the soil suitability and ensure the required 2-foot separation to groundwater has been maintained.

SITEC Response: The design has been modified to include a roof recharge system. Soil data and groundwater data in the vicinity of the recharge system and detention pond has been added to the plan. The recharge system will include (32) Culltec 330 HD units set in a bed configuration. These units have a combined storage capacity of approximately 2,260 CF, factoring in a 40% void ratio for the crushed stone.

FEC Response: The stormwater recharge system provided will have a storage capacity greater than the calculated recharge volume 1,080 cubic feet. The detail should specify removal of the of the A and B soil horizons down to elevation 20.5 +/- as noted in the TP #3 soil profile and backfilled with clean sand fill. A breakout barrier around the sides of the recharge system adjacent to the fill slope on the southerly side of the parking aisle should be provided.

SITEC Response: The recharge system detail has been revised to note the removal of the A and B horizons and the replacement of this material with clean sand. Additionally, we have added a membrane barrier along the South edge of the system excavation for breakout protection as requested.

FEC Response: The engineer's response is acceptable. No further comment.

6. The proposed 1:1 reinforced rip rap interior slope in Detention Basin 1 is not recommended. It will be difficult to maintain the basin with a 1:1 slope and poses a safety hazard. A minimum 3:1 slope should be maintained.

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
August 22, 2017
Page 3 of 6

SITEC Response: All detention basin slopes have been revised to be 3:1 as recommended.

FEC Response: The engineer's response is acceptable. No further comment.

7. A guardrail is needed between the between the top of slope of Detention Basin 1 and the edge of travel way. A minimum 3:1 interior slope should be maintained as previously noted.

SITEC Response: A guardrail has been added at the top of slope along the edge of the traveled way and the detention pond.

FEC Response: Details of the guardrail system should be provided. It is suggested steel posts and rails with reflectors be provided.

SITEC Response: A guardrail detail with steel posts and rails with reflectors has been added to the plan as requested.

FEC Response: The engineer's response is acceptable. No further comment.

8. The inlet and outlet inverts of the proposed 36-inch RCP culvert should be specified on the plan. The design slope of the new 36-inch RCP should match or exceed the slope of the existing 36-inch RCP on Bridge Street to minimize any potential tail water effects on the Bridge Street culvert.

SITEC Response: We have added the invert elevations for the 36" culvert and the slope of the pipe has been set to match the Bridge Street Culvert.

FEC Response: The engineer's response is acceptable. No further comment.

9. The pond model calculations for Detention Basin 2 assume a free flowing condition at the 12-inch pipe outfall at the existing rip rap drainage ditch. This existing rip rap ditch accepts stormwater flows from an existing 36-inch RCP and 42-inch RCP from Route 240. With the proposed elevation of the outfall of Detention Basin 2 at the bottom elevation of the rip rap ditch, it is conceivable that Detention Basin 2 could be inundated by the tail water of the ditch. The engineer will need to evaluate this condition and provide additional supporting calculations / documentation to ensure this basin will function as designed.

SITEC Response: Detention Pond #2 has been deleted from the design to avoid the potential tailwater conflict.

FEC Response: The engineer's response is acceptable. No further comment.

10. The calculated 10- and 100-yr storm flows from Subcatchment P-1 and P-2 will most likely exceed the capacity of a single catch basin grate. Inlet capacity calculations should be provided to ensure the stormwater flows up to and including the 100-year storm event are properly routed through the catch basins.

SITEC Response: The site grading has been revised to direct the surface flow to two Stormceptor structures located at the edge of the detention pond. The combined grate capacity at this low point, assuming a maximum head of 0.5 feet equals 8.2 cfs. This exceeds the 10 year design flow. For storms greater than the 10 year event, the flow will overtop the curb at this low point and all flow will be directed into the detention pond.

FEC Response: The engineer's response is acceptable. No further comment.

11. No information is presented on the plans with respect to the roof drain piping and canopy drain piping.

SITEC Response: The roof drain and canopy piping has been added to the grading plan.

FEC Response: The proposed 6-inch SCH-40 PVC canopy drain invert at the detention basin is missing. An overflow mechanism on the building roof drain system should be provided.

SITEC Response: The invert for the canopy drain at the detention pond has been added to the plan together with a detail for the roof drain overflow as requested.

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
August 22, 2017
Page 4 of 6

FEC Response: The engineer's response is acceptable. No further comment.

12. A detailed wetland replication plan should be submitted showing excavation limits, plantable soil depths, finish grades, plant locations and schedule, and general specifications for all planting materials and soils.

SITEC Response: A replication planting detail has been added to Detail Sheet #2.

FEC Response: The engineer's response is acceptable. No further comment.

13. The Stormwater Report states that a water quality swale has been incorporated into the design as a pre-treatment device. The grass outlet swale from Detention Basin 1 as shown, does not meet the design criteria as a water quality swale.

SITEC Response: The grassed swale is located at the outlet to the detention pond in order to provide a buffer prior to the wetlands. The swale has not been counted as a TSS mitigation measure.

FEC Response: The engineer's response is acceptable. No further comment.

14. A Long Term Pollution Prevention Plan has not been submitted to our office.

SITEC Response: The long term and construction period erosion control plans have been provided on Detail Sheet #2.

FEC Response: The engineer's response is acceptable. This document should be submitted in a letter size PDF format for inclusion as an attachment to the Order of Conditions.

SITEC Response: Copies of the Erosion & Sedimentation Control Program are attached for potential use in the Order of Conditions.

FEC Response: It is suggested the Conservation Commission attach this document to the Order of Conditions. No further comment.

15. A Construction Period Pollution Prevention Plan has not been submitted to our office.

SITEC Response: The construction period pollution prevention plan has been added to Detail Sheet #2.

FEC Response: The engineer's response is acceptable. This document should be submitted in a letter size PDF format for inclusion as an attachment to the Order of Conditions.

SITEC Response: A copy of the Construction Period Pollution Prevention Plan is attached for possible use in the Order of Conditions.

FEC Response: It is suggested the Conservation Commission attach this document to the Order of Conditions. No further comment.

16. An Operation and Maintenance Plan has not been submitted to our office. The Addendum to the Stormwater Checklist also refers to Sheet C109 which is not included in the plan set.

SITEC Response: The Operation and Maintenance Plan is contained on Detail Sheet #2. The reference to Sheet C109 is not applicable to this plan set.

FEC Response: The engineer's response is acceptable. This document should be submitted in a letter size PDF format for inclusion as an attachment to the Order of Conditions.

SITEC Response: A copy of the Operation and Maintenance Plan is attached for possible use in the Order of Conditions.

FEC Response: It is suggested the Conservation Commission attach this document to the Order of Conditions. No further comment.

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
August 22, 2017
Page 5 of 6

17. A site specific Contingency Plan for Spill Containment should be submitted to the Conservation Commission for review.

SITEC Response: A spill containment plan has been requested of the owner/operator and will be forwarded to you as soon as it is provided to us.

FEC Response: Our office received a general Spill Containment Plan from the engineer on 7/24/17. This document should also be submitted to the Conservation Commission for inclusion as an attachment to the Order of Conditions.

SITEC Response: Copies of the Spill Containment Plan are attached for possible inclusion in the Order of Conditions.

FEC Response: It is suggested the Conservation Commission attach this document to the Order of Conditions. No further comment.

18. A site specific Stormwater Pollution Prevention Plan (SWPPP) and Notice of Intent filing with the EPA for coverage under the General Construction Permit will be required for this site. As a Special Condition to the Order, it is suggested that the applicant submit a copy of the SWPPP and proof of filing with the EPA to the Conservation Commission prior to construction.

FEC Response: Refer to the Suggested Special Conditions at the end of this document.

19. The proposed emergency spillway should be moved in-line with the proposed grass swale opposite wet flag WF #20.

SITEC Response: The emergency spillway has been moved to be in line with the swale opposite wetland flag WF #20 as requested.

FEC Response: The engineer's response is acceptable. No further comment.

20. The reference to the Flo-Guard inserts should be removed from the Catch Basin Detail.

SITEC Response: We have substituted the Stormceptor detail for the standard catch basin and eliminated the Flo Gard reference as requested.

FEC Response: The engineer's response is acceptable. No further comment.

21. The size and type of the stone should be specified on the Spillway Detail.

SITEC Response: The spillway detail has been modified as requested.

FEC Response: The engineer's response is acceptable. No further comment.

SUGGESTED SPECIAL CONDITIONS


1. The excavated subgrade of the wetland replication areas shall be inspected and approved by the Conservation Commission and/or its designated Agent prior to the placement of the plantable borrow and plantings.
2. Following the completion of the wetland replication area planting operations as verified by the agent for the conservation Commission, the replication area shall be monitored by a qualified wetland scientist for at least two growing seasons. Monitoring reports shall be prepared by a qualified wetland scientist after each growing season and submitted to the Conservation Commission in accordance with the current Department of Environmental Protection (DEP) Wetland Replication Guidelines.
3. The operation and maintenance plan for the stormwater management facilities shall be an attachment to this Order of Conditions and shall be the perpetual obligation of the owners, heirs and assigns of the subject property. Any transfer of this assignment must be reported to the Conservation Commission identifying the responsible party and contact information.
4. The proposed hay bale/silt fence line shall be staked in the field and approved by the agent for the Conservation Commission prior to construction.

Mr. Jay Simmons, Chairman
Town of Fairhaven Conservation Commission
August 22, 2017
Page 6 of 6

5. Field changes to any portion of the work permitted under this Order as a result of unforeseen field conditions and /or the means and methods of the contractor shall be submitted to the agent for the Conservation Commission for review.
6. Any modifications to the Order of Conditions plans as a result of any local and State agency review shall be submitted to the Conservation Commission for review.
7. The owner/contractor shall schedule a pre-construction meeting with the agent for the Conservation Commission prior to the commencement of any construction activity.
8. The construction of the stormwater management systems shall be substantially complete and functional prior to the installation of the hot mix asphalt binder course pavement.
9. Prior to the installation of the hot mix asphalt binder course pavement, an interim as-built plan of the completed stormwater management system including the entire piped collection system, sediment forebays, detention basins, stormwater outfalls, and limits of disturbance, shall be prepared by a registered land surveyor and certified by a registered professional engineer. The as-built plan shall show elevations and locations of all installed stormwater management system components and shall clearly identify any deviations in the work from the approved plans.
10. Prior to the issuance of a Certificate of Compliance, a final as-built plan of the completed work within the 100-foot buffer zone including but not limited to the sediment forebays, detention basins, stormwater outfalls, and limits of disturbance, shall be prepared by a registered land surveyor. The as-built plan shall clearly identify any deviations in the work from the approved plans.
11. Hydrologic calculations for the 2-, 10-, 25-, and 100-year storm events based on the as-constructed condition of the detention basins, shall be prepared by a registered professional engineer. The as-built plans and calculations shall be accompanied by the professional engineers' certification that the proposed work has been completed in substantial compliance with the approved Order of Conditions documents.
12. Pursuant to MGL Chap 44 Section 53G, the Commission may, at its discretion, engage the services of an independent consultant to monitor the progress of the work, review field changes and as-built drawings, conduct inspections and provide general consultation during the implementation of the work. Payment of fees for services provided by the independent consultant shall be the responsibility of the applicant.
13. A site specific Stormwater Pollution Prevention Plan (SWPPP) and Notice of Intent filing with the EPA for coverage under the General Construction Permit will be required for this site. The applicant shall prepare and submit a copy of the SWPPP and proof of filing with the EPA to the Conservation Commission prior to construction.

If you have any questions or need additional information, please contact me at our Mattapoisett Office at (508) 758-2749.

Very truly yours,
Field Engineering Co., Inc.



Kenneth J. Motta
Senior Project Manager

Reviewed by:



Robert M. Field, P.E.



cc: William Roth, Director of Planning & Economic Development
Vinnie Furtado, Board of Public Works Superintendent



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 5 – Order of Conditions

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

SE 23-1246

MassDEP File #

eDEP Transaction #

Fairhaven

City/Town

D. Findings Under Municipal Wetlands Bylaw or Ordinance

1. Is a municipal wetlands bylaw or ordinance applicable? Yes No

2. The Fairhaven hereby finds (check one that applies):
Conservation Commission

a. that the proposed work cannot be conditioned to meet the standards set forth in a municipal ordinance or bylaw, specifically:

1. Municipal Ordinance or Bylaw

2. Citation

Therefore, work on this project may not go forward unless and until a revised Notice of Intent is submitted which provides measures which are adequate to meet these standards, and a final Order of Conditions is issued.

b. that the following additional conditions are necessary to comply with a municipal ordinance or bylaw:

1. Municipal Ordinance or Bylaw

2. Citation

3. The Commission orders that all work shall be performed in accordance with the following conditions and with the Notice of Intent referenced above. To the extent that the following conditions modify or differ from the plans, specifications, or other proposals submitted with the Notice of Intent, the conditions shall control.

The special conditions relating to municipal ordinance or bylaw are as follows (if you need more space for additional conditions, attach a text document):



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

WPA Form 5 – Order of Conditions

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

Provided by MassDEP:

SE 23- 1246

MassDEP File #

eDEP Transaction #

Fairhaven

City/Town

E. Signatures

This Order is valid for three years, unless otherwise specified as a special condition pursuant to General Conditions #4, from the date of issuance.

9-11-17

1. Date of Issuance

Please indicate the number of members who will sign this form.

7

This Order must be signed by a majority of the Conservation Commission.

2. Number of Signers

The Order must be mailed by certified mail (return receipt requested) or hand delivered to the applicant. A copy also must be mailed or hand delivered at the same time to the appropriate Department of Environmental Protection Regional Office, if not filing electronically, and the property owner, if different from applicant.

Signatures:

by hand delivery on

SEPTEMBER 17, 2017

Date

by certified mail, return receipt requested, on

Date

F. Appeals

The applicant, the owner, any person aggrieved by this Order, any owner of land abutting the land subject to this Order, or any ten residents of the city or town in which such land is located, are hereby notified of their right to request the appropriate MassDEP Regional Office to issue a Superseding Order of Conditions. The request must be made by certified mail or hand delivery to the Department, with the appropriate filing fee and a completed Request of Departmental Action Fee Transmittal Form, as provided in 310 CMR 10.03(7) within ten business days from the date of issuance of this Order. A copy of the request shall at the same time be sent by certified mail or hand delivery to the Conservation Commission and to the applicant, if he/she is not the appellant.

Any appellants seeking to appeal the Department's Superseding Order associated with this appeal will be required to demonstrate prior participation in the review of this project. Previous participation in the permit proceeding means the submission of written information to the Conservation Commission prior to the close of the public hearing, requesting a Superseding Order, or providing written information to the Department prior to issuance of a Superseding Order.

The request shall state clearly and concisely the objections to the Order which is being appealed and how the Order does not contribute to the protection of the interests identified in the Massachusetts Wetlands Protection Act (M.G.L. c. 131, § 40), and is inconsistent with the wetlands regulations (310 CMR 10.00). To the extent that the Order is based on a municipal ordinance or bylaw, and not on the Massachusetts Wetlands Protection Act or regulations, the Department has no appellate jurisdiction.

Extension Permit for Order of Conditions (SE-023-1246)



Massachusetts Department of Environmental Protection
Bureau of Resource Protection - Wetlands

DEP File Number:

WPA Form 7 – Extension Permit for Orders of Conditions
Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

SE 023-1246

Provided by DEP

A. General Information



2020 00020195

Bk: 13360 Pg: 305 Pg: 1 of 1 BS
Doc: EXT 08/26/2020 10:30 AM

Important:
When filling out forms on the computer, use only the tab key to move your cursor - do not use the return key.



1. Applicant:

Carricorp Industries LTD
Name

275 Martine Street, Suite 110
Mailing Address

Fall River
City/Town

MA
State

02723
Zip Code

2. Property Owner (if different):

Bridge Street Holdings LLC
Name

275 Martine Street
Mailing Address

Fall River
City/Town

MA
State

02723
Zip Code

B. Authorization

The Order of Conditions (or Extension Permit) issued to the applicant or property owner listed above on:

September 11, 2017
Date

Issued by:

Fairhaven Conservation Commission
Conservation Commission

for work at: 277 Bridge Street
Street Address

30A
Assessor's Map/Plat Number

86B, 87, 87A
Parcel/Lot Number

recorded at the Registry of Deeds for:

Bristol (S.D.)
County

12318
Book

166
Page

Certificate (if registered land)

is hereby extended until: September 11, 2023
Date

N/A
Date the Order was last extended (if applicable)

This date can be no more than 3 years from the expiration date of the Order of Conditions or the latest extension. Only unexpired Orders of Conditions or Extension may be extended.

This Extension Permit must be signed by a majority of the Conservation Commission and a copy sent to the applicant and the appropriate DEP Regional Office (<https://www.mass.gov/service-details/massdep-regional-offices-by-community>).

Signatures:

August 24, 2020
Date

Electronic signatures duly authorized by MGL c. 110G and recorded at Bristol County (S.D.) Registry of Deeds in Book 13202 Page 224.

DocuSigned by:
[Signature]
15180723F728E0
DocuSigned by:
Jay Simmons
1050CA3022E04EE
DocuSigned by:
Amy DeSalvatore
36643091965F481

DocuSigned by:
[Signature]
081783C9F40C30
DocuSigned by:
Gary Lavette
841088E120934FD

Copies of Checks

CARRICORP INDUSTRIES, LTD
275 MARTINE ST STE 110
FALL RIVER, MA 02723-1518

Bank of America
ACH R/T 011000138

2665
53-13/110 MA
27008

7/26/2023

PAY TO THE ORDER OF Town of Fairhaven \$ 300⁰⁰/₁₀₀
Three Hundred 00/₁₀₀ DOLLARS

MEMO

Robert Curry
AUTHORIZED SIGNATURE

THIS DOCUMENT MUST HAVE A COLORED BACKGROUND, ULTRAVIOLET FIBERS AND AN ARTIFICIAL WATERMARK ON THE BACK - VERIFY FOR AUTHENTICITY.

CARRICORP INDUSTRIES, LTD
275 MARTINE ST STE 110
FALL RIVER, MA 02723-1518

Bank of America
ACH R/T 011000138

2662
53-13/110 MA
27008

7/26/2023

PAY TO THE ORDER OF Town of Fairhaven \$ 787.50⁵⁰/₁₀₀
Seven Hundred Eighty Seven 50/₁₀₀ DOLLARS

MEMO

Robert Curry
AUTHORIZED SIGNATURE

THIS DOCUMENT MUST HAVE A COLORED BACKGROUND, ULTRAVIOLET FIBERS AND AN ARTIFICIAL WATERMARK ON THE BACK - VERIFY FOR AUTHENTICITY.

CARRICORP INDUSTRIES, LTD
275 MARTINE ST STE 110
FALL RIVER, MA 02723-1518

Bank of America
ACH R/T 011000138

2663
53-13/110 MA
27008

7/26/2023

PAY TO THE ORDER OF Commonwealth of Massachusetts \$ 762⁵⁰/₁₀₀
Seven Hundred Sixty Two 50/₁₀₀ DOLLARS

MEMO

Robert Curry
AUTHORIZED SIGNATURE

THIS DOCUMENT MUST HAVE A COLORED BACKGROUND, ULTRAVIOLET FIBERS AND AN ARTIFICIAL WATERMARK ON THE BACK - VERIFY FOR AUTHENTICITY.